



.....

•
• **Orange-Sol**
• 1400 N. Fiesta Blvd.
• Gilbert, Az 85233
•
•
•
•
•
•
•

To: Nycole Coffman
Fax number: +1 (760) 9184079,,2276

From: Katie Whaley
Fax number: 480-497-0444
Business phone: 480-497-8822
Home phone:

Date & Time: 10/14/2004 1:52:14 PM
Pages: 5
Re: MSDS

Here is the MSDS you requested for the Blind-Brite Cleaning Spray. I will fax the other requestes to you as well. Have a great day and thank you for your interest in our products.



MATERIAL SAFETY DATA SHEET



Blind Cleaning Spray

© A registered trademark of the ORANGE-SOL Group of Companies, Ltd.

Section 1

Product & Company Identifications

Product Name: Blind-Brite® Blind Cleaning Spray

Product Use: To clean and prevent re-soiling of blinds and ceiling fans.

Distributor: ORANGE-SOL Household Products, Inc.

1400 N. Fiesta Blvd., Bldg. 100

Gilbert, AZ 85233-1023

For Information & Emergencies: (480) 497-8822 (7 am-5pm, Mon-Fri MST) www.orange-sol.com

Preparation Date: 25 Jun 2001

Revision Date: 7 Mar 2002

MSDS #: 70039-050

Section 2

Information on Ingredients

Product Mixture: This product contains isopropyl alcohol, CAS Number 64-73-0, which is listed in the OSHA Subpart Z-1. No other hazardous ingredients as per OSHA, 29CFR 1910.1200.

Components: This section is proprietary.

Section 3

Hazardous Identification

Emergency Overview: Avoid inhalation of mist and contact with eyes.

Primary Routes of Contact: Ingestion, inhalation, and absorption.

Physical Hazard: None established.

Health Hazard

Eye: May cause irritation.

Skin: Repeated or prolonged exposure may cause dermatitis in sensitive individuals.

Ingestion: May cause gastric disturbances such as diarrhea.

Vapor Inhalation: Avoid mists, which may irritate mucous membranes.

Carcinogenicity Listings: **NTP:** None. **IARC:** None.
 OSHA: None. **ACGIH:** None.

Signs and Symptoms of Overexposure: Red, dry skin at point of contact.

Medical Conditions Aggravated by Exposure: Dermatitis may become aggravated by sensitive individuals.

Section 4 **First Aid Procedures**

Eye: Remove contact lenses, flush with water for at least 15 minutes while lifting eyelids. If irritation develops and persists, contact a physician.

Skin: Remove effected clothing. Wash skin thoroughly with soap and water. If irritation develops and persists, contact a physician.

Ingestion: If swallowed, do not induce vomiting. May cause chemical pneumonia if aspirated into lungs.

Inhalation: Move to fresh air. If irritation develops and persists, contact a physician.

Section 5 **Fire & Explosion Hazard**

Flash Point and Method: 185°F, COC. ASTM D-93.

Explosion Data: **Sensitivity to impact:** None. **Sensitivity to static charge:** May ignite above the flash point.

Combustion Products: As with any organic material, combustion will produce nitrogen oxides, sulfur oxides, carbon dioxide an/or carbon monoxide.

Extinguishing Media: Water fog, carbon dioxide, dry chemical, foam.

Unusual Fire and Explosion Hazard: None.

Special Firefighting Precautions: None.

Firefighting Equipment: Use self-contained breathing apparatus in any enclosed area.

Section 6 **Accidental Release Measures**

Small Spills: Absorb with suitable material. Dispose in an appropriate waste container.

Large Spills: Dike with soil, and or other suitable materials avoiding the use of sawdust. Recover usable product, rinse area clean.

Personal Precautions: No special requirements.

Environmental Precautions: No special requirements known.

Section 7 **Handling & Storage**

Safe Handling and Hygienic Practices: Avoid prolonged skin contact. Wash after using.

Storage Requirements: Store in tightly closed, original container away from flame or other ignition source.

Section 8

Exposure Controls

Engineering Controls: No special requirements.

Personal Protection

Ventilation: No Special requirements.

Respiratory: Avoid breathing mist.

Eye Protection: Eye protection based on splash potential.

Clothing: Gloves recommended for sensitive individuals.

Exposure Limit Guidelines: This product contains isopropyl alcohol, CAS Number 67-63-0, that OSHA lists at a PEL of 400 ppm.

Section 9

Physical & Chemical Properties

Appearance and Odor: Clear and colorless liquid with a mint and slight isopropyl alcohol odor.

Specific Gravity: .985, 8.22 lbs/US gallon.

Vapor Density: (Air=1), >1.

Vapor Pressure: >20 mm @ 72°F (22°C) (Estimated).

Evaporation Rate: (BuAc=1) <1.

pH of Concentrate: 7 - 8

Solubility in Water: 100%.

Percent Volatile by Volume: 97 Vol. %.

Section 10

Stability & Reactivity

Stability: Stable.

Conditions to Avoid: Avoid contact with oxidizing agents and acids.

Hazardous Decomposition: None expected under normal conditions.

Hazardous Polymerization: Should not occur.

Section 11

Toxicity Information

Toxicity: None known.

Section 12

Disposal Considerations

Biodegradability: Biodegradable.

RCRA Classification: This product has been evaluated for RCRA characteristics and does not meet the criteria for a hazardous waste, if discarded in its purchased form.

Special Instructions: No special requirements.

Section 13

Transportation Information

DOT Labeling: Not required.

Proper Shipping Name: Not required.

Hazard Class: Not required.

Identification Number: Not required.

Section 14 Regulatory Information

CERCLA, State and Local Planning (Reportable Quantities): Not required.

OSHA Compliance: This MSDS prepared in accordance with 29CFR 1910.1200 and ANSI Z400.1 standard.

SARA Title III Superfund: The product in its purchased form is not regulated under the SARA "Hazard Categories" under Section 311 and 312 of the Superfund Amendment and the Reauthorization Act of 1986 (SARA Title III).

State Right-to-Know Compliance: Not required.

TSCA: Although components of this product find listing under the Toxic Substances Act (TSCA), this blended product requires no import or export declaration.

Volatile Organic Compound (VOC) Content: Under C12 exemption contains 9.0 Wt. %; (Value estimated). Contact local regulators for appropriate compliance.

Special Instructions: No special requirements.

Section 15 Other Information

Hazard: (Based on HMIS Standard), Health: 0 Flammability: 2 Reactivity: 0

Hazard Index: Minimal: 0, Slight: 1, Moderate: 2, High: 3, Extreme: 4

We believe the information contained herein is accurate and current as of the date of this Material Safety Data Sheet. Nevertheless, the user must evaluate and determine whether the conditions for use and application of the product, including proper disposal thereof, are appropriate, safe, and legal.